

TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

TYPE OF COUNT:

24 HOUR APPROACH VOLUME COUNT

TIME OF COUNT:

Start Date	10-Jan-11	Start Time	12:00 AM
End Date	11-Jan-11	End Time	12:00 AM

VOLUMES:

ADT	78,729	PEAK HOUR	5,387
		PEAK END TIME	5:45 PM
		PEAK NB/EB MOVEMENT	2,351
		PEAK SB/WB MOVEMENT	3,036

MEASURED TRAVEL CHARACTERISTICS:

"Peak to Daily Ratio"

K=	6.84%	D=	56.4%
----	-------	----	-------

HOURLY DISTRIBUTION OF TRAFFIC VOLUMES

PROJECT Project Traffic Study for Central Polk Parkway
LOCATION CODE 2
COUNT LOCATION I-4 between US 27 & CR 532
GMB PROJECT NO. 08-135.22

HOUR END AT	HOURLY VOLUME DIRECTION (NB/EB)	HOURLY VOLUME DIRECTION (SB/WB)	TOTAL VOLUMES BOTH DIRECTIONS	DISTRIBUTION PERCENT DIRECTION (NB/EB)	DISTRIBUTION PERCENT DIRECTION (SB/WB)	TOTAL PERCENT BOTH DIRECTIONS
01:00 AM	179	876	1,055	0.46%	2.21%	1.34%
02:00 AM	129	529	658	0.33%	1.33%	0.84%
03:00 AM	141	416	557	0.36%	1.05%	0.71%
04:00 AM	197	286	483	0.50%	0.72%	0.61%
05:00 AM	593	368	961	1.52%	0.93%	1.22%
06:00 AM	1,362	832	2,194	3.49%	2.10%	2.79%
07:00 AM	2,488	1,602	4,090	6.38%	4.03%	5.20%
08:00 AM	3,047	2,135	5,182	7.81%	5.38%	6.58%
09:00 AM	2,870	2,100	4,970	7.35%	5.29%	6.31%
10:00 AM	2,483	2,140	4,623	6.36%	5.39%	5.87%
11:00 AM	2,375	2,235	4,610	6.09%	5.63%	5.86%
12:00 PM	2,406	2,283	4,689	6.17%	5.75%	5.96%
01:00 PM	2,298	2,158	4,456	5.89%	5.44%	5.66%
02:00 PM	2,319	2,263	4,582	5.94%	5.70%	5.82%
03:00 PM	2,355	2,476	4,831	6.03%	6.24%	6.14%
04:00 PM	2,312	2,627	4,939	5.92%	6.62%	6.27%
05:00 PM	2,427	2,749	5,176	6.22%	6.92%	6.57%
06:00 PM	2,322	3,006	5,328	5.95%	7.57%	6.77%
07:00 PM	1,929	2,492	4,421	4.94%	6.28%	5.62%
08:00 PM	1,584	1,774	3,358	4.06%	4.47%	4.27%
09:00 PM	1,074	1,396	2,470	2.75%	3.52%	3.14%
10:00 PM	924	1,213	2,137	2.37%	3.06%	2.71%
11:00 PM	749	969	1,718	1.92%	2.44%	2.18%
12:00 AM	463	778	1,241	1.19%	1.96%	1.58%
TOTALS	39,026	39,703	78,729	100.00%	100.00%	100.00%

SPEED TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

Speed Range	Traffic Volume		Average Daily Statistics	
	NB/EB	SB/WB	Total	Percentages
1-35	2,596	3,193	5,789	7.35%
36-40	1	3	4	0.01%
41-45	10	20	30	0.04%
46-50	81	112	193	0.25%
51-55	546	925	1,471	1.87%
56-60	2,598	3,473	6,071	7.71%
61-65	7,653	8,330	15,983	20.30%
66-70	12,353	9,790	22,143	28.13%
71-75	9,629	7,647	17,276	21.94%
76-80	2,972	4,612	7,584	9.63%
81-85	503	1,347	1,850	2.35%
86-90	65	203	268	0.34%
91-95	17	35	52	0.07%
>96	2	13	15	0.02%
Totals	39,026	39,703	78,729	100.00%

TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

TYPE OF COUNT:

24 HOUR APPROACH VOLUME COUNT

TIME OF COUNT:

Start Date	11-Jan-11	Start Time	12:00 AM
End Date	12-Jan-11	End Time	12:00 AM

VOLUMES:

ADT	79,557	PEAK HOUR	5,840
		PEAK END TIME	5:30 PM
		PEAK NB/EB MOVEMENT	2,544
		PEAK SB/WB MOVEMENT	3,296

MEASURED TRAVEL CHARACTERISTICS:

"Peak to Daily Ratio"

K=	7.34%	D=	56.4%
----	-------	----	-------

HOURLY DISTRIBUTION OF TRAFFIC VOLUMES

PROJECT Project Traffic Study for Central Polk Parkway
LOCATION CODE 2
COUNT LOCATION I-4 between US 27 & CR 532
GMB PROJECT NO. 08-135.22

HOUR END AT	HOURLY VOLUME DIRECTION (NB/EB)	HOURLY VOLUME DIRECTION (SB/WB)	TOTAL VOLUMES BOTH DIRECTIONS	DISTRIBUTION PERCENT DIRECTION (NB/EB)	DISTRIBUTION PERCENT DIRECTION (SB/WB)	TOTAL PERCENT BOTH DIRECTIONS
01:00 AM	307	660	967	0.77%	1.67%	1.22%
02:00 AM	233	388	621	0.58%	0.98%	0.78%
03:00 AM	221	226	447	0.55%	0.57%	0.56%
04:00 AM	324	235	559	0.81%	0.59%	0.70%
05:00 AM	596	344	940	1.49%	0.87%	1.18%
06:00 AM	1,250	644	1,894	3.13%	1.63%	2.38%
07:00 AM	2,318	1,499	3,817	5.80%	3.78%	4.80%
08:00 AM	3,056	1,981	5,037	7.65%	5.00%	6.33%
09:00 AM	2,840	2,118	4,958	7.11%	5.35%	6.23%
10:00 AM	2,499	2,085	4,584	6.26%	5.26%	5.76%
11:00 AM	2,422	2,128	4,550	6.06%	5.37%	5.72%
12:00 PM	2,255	2,135	4,390	5.64%	5.39%	5.52%
01:00 PM	2,085	2,097	4,182	5.22%	5.29%	5.26%
02:00 PM	2,271	2,141	4,412	5.68%	5.41%	5.55%
03:00 PM	2,332	2,362	4,694	5.84%	5.96%	5.90%
04:00 PM	2,415	2,669	5,084	6.04%	6.74%	6.39%
05:00 PM	2,528	3,197	5,725	6.33%	8.07%	7.20%
06:00 PM	2,545	3,263	5,808	6.37%	8.24%	7.30%
07:00 PM	2,100	2,607	4,707	5.26%	6.58%	5.92%
08:00 PM	1,701	1,868	3,569	4.26%	4.72%	4.49%
09:00 PM	1,190	1,528	2,718	2.98%	3.86%	3.42%
10:00 PM	992	1,423	2,415	2.48%	3.59%	3.04%
11:00 PM	874	1,120	1,994	2.19%	2.83%	2.51%
12:00 AM	597	888	1,485	1.49%	2.24%	1.87%
TOTALS	39,951	39,606	79,557	100.00%	100.00%	100.00%

SPEED TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

Speed Range	Traffic Volume		Average Daily Statistics	
	NB/EB	SB/WB	Total	Percentages
1-35	2,044	2,521	4,565	5.74%
36-40	1	5	6	0.01%
41-45	7	13	20	0.03%
46-50	43	95	138	0.17%
51-55	540	787	1,327	1.67%
56-60	2,709	3,246	5,955	7.49%
61-65	8,103	8,418	16,521	20.77%
66-70	13,954	9,660	23,614	29.68%
71-75	9,507	7,352	16,859	21.19%
76-80	2,549	5,207	7,756	9.75%
81-85	412	1,924	2,336	2.94%
86-90	66	316	382	0.48%
91-95	10	40	50	0.06%
>96	6	22	28	0.04%
Totals	39,951	39,606	79,557	100.00%

TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

TYPE OF COUNT:

24 HOUR APPROACH VOLUME COUNT

TIME OF COUNT:

Start Date	12-Jan-11	Start Time	12:00 AM
End Date	13-Jan-11	End Time	12:00 AM

VOLUMES:

ADT	82,259	PEAK HOUR	6,088
		PEAK END TIME	5:45 PM
		PEAK NB/EB MOVEMENT	2,702
		PEAK SB/WB MOVEMENT	3,386

MEASURED TRAVEL CHARACTERISTICS:

"Peak to Daily Ratio"

K=	7.40%	D=	55.6%
----	-------	----	-------

HOURLY DISTRIBUTION OF TRAFFIC VOLUMES

PROJECT Project Traffic Study for Central Polk Parkway
LOCATION CODE 2
COUNT LOCATION I-4 between US 27 & CR 532
GMB PROJECT NO. 08-135.22

HOUR END AT	HOURLY VOLUME DIRECTION (NB/EB)	HOURLY VOLUME DIRECTION (SB/WB)	TOTAL VOLUMES BOTH DIRECTIONS	DISTRIBUTION PERCENT DIRECTION (NB/EB)	DISTRIBUTION PERCENT DIRECTION (SB/WB)	TOTAL PERCENT BOTH DIRECTIONS
01:00 AM	344	613	957	0.84%	1.48%	1.16%
02:00 AM	267	388	655	0.65%	0.94%	0.80%
03:00 AM	224	310	534	0.55%	0.75%	0.65%
04:00 AM	326	271	597	0.80%	0.66%	0.73%
05:00 AM	621	349	970	1.52%	0.84%	1.18%
06:00 AM	1,173	712	1,885	2.87%	1.72%	2.29%
07:00 AM	2,284	1,450	3,734	5.58%	3.51%	4.54%
08:00 AM	2,976	2,057	5,033	7.27%	4.98%	6.12%
09:00 AM	2,892	2,135	5,027	7.07%	5.16%	6.11%
10:00 AM	2,466	2,258	4,724	6.03%	5.46%	5.74%
11:00 AM	2,444	2,227	4,671	5.97%	5.39%	5.68%
12:00 PM	2,251	2,201	4,452	5.50%	5.32%	5.41%
01:00 PM	2,201	2,189	4,390	5.38%	5.29%	5.34%
02:00 PM	2,361	2,420	4,781	5.77%	5.85%	5.81%
03:00 PM	2,347	2,577	4,924	5.74%	6.23%	5.99%
04:00 PM	2,494	2,859	5,353	6.10%	6.92%	6.51%
05:00 PM	2,579	3,314	5,893	6.30%	8.02%	7.16%
06:00 PM	2,733	3,327	6,060	6.68%	8.05%	7.37%
07:00 PM	2,186	2,702	4,888	5.34%	6.54%	5.94%
08:00 PM	1,669	1,953	3,622	4.08%	4.72%	4.40%
09:00 PM	1,361	1,555	2,916	3.33%	3.76%	3.54%
10:00 PM	1,049	1,420	2,469	2.56%	3.43%	3.00%
11:00 PM	893	1,159	2,052	2.18%	2.80%	2.49%
12:00 AM	775	897	1,672	1.89%	2.17%	2.03%
TOTALS	40,916	41,343	82,259	100.00%	100.00%	100.00%

SPEED TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

Speed Range	Traffic Volume		Average Daily Statistics	
	NB/EB	SB/WB	Total	Percentages
1-35	2,082	3,741	5,823	7.08%
36-40	3	5	8	0.01%
41-45	8	16	24	0.03%
46-50	50	111	161	0.20%
51-55	491	907	1,398	1.70%
56-60	2,620	3,462	6,082	7.39%
61-65	8,240	7,659	15,899	19.33%
66-70	14,212	9,316	23,528	28.60%
71-75	10,101	7,228	17,329	21.07%
76-80	2,569	5,484	8,053	9.79%
81-85	468	2,672	3,140	3.82%
86-90	60	618	678	0.82%
91-95	10	98	108	0.13%
>96	2	26	28	0.03%
Totals	40,916	41,343	82,259	100.00%

TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

TYPE OF COUNT:

24 HOUR APPROACH VOLUME COUNT

TIME OF COUNT:

Start Date	13-Jan-11	Start Time	12:00 AM
End Date	14-Jan-11	End Time	12:00 AM

VOLUMES:

ADT	79,943	PEAK HOUR	5,433
		PEAK END TIME	5:30 PM
		PEAK NB/EB MOVEMENT	2,331
		PEAK SB/WB MOVEMENT	3,102

MEASURED TRAVEL CHARACTERISTICS:

"Peak to Daily Ratio"

K=	6.80%	D=	57.1%
----	-------	----	-------

HOURLY DISTRIBUTION OF TRAFFIC VOLUMES

PROJECT Project Traffic Study for Central Polk Parkway
LOCATION CODE 2
COUNT LOCATION I-4 between US 27 & CR 532
GMB PROJECT NO. 08-135.22

HOUR END AT	HOURLY VOLUME DIRECTION (NB/EB)	HOURLY VOLUME DIRECTION (SB/WB)	TOTAL VOLUMES BOTH DIRECTIONS	DISTRIBUTION PERCENT DIRECTION (NB/EB)	DISTRIBUTION PERCENT DIRECTION (SB/WB)	TOTAL PERCENT BOTH DIRECTIONS
01:00 AM	349	651	1,000	0.86%	1.65%	1.25%
02:00 AM	291	388	679	0.72%	0.98%	0.85%
03:00 AM	289	270	559	0.72%	0.68%	0.70%
04:00 AM	377	294	671	0.93%	0.74%	0.84%
05:00 AM	699	358	1,057	1.73%	0.91%	1.32%
06:00 AM	1,378	679	2,057	3.41%	1.72%	2.57%
07:00 AM	2,361	1,423	3,784	5.84%	3.60%	4.73%
08:00 AM	2,951	2,048	4,999	7.30%	5.18%	6.25%
09:00 AM	2,856	2,098	4,954	7.07%	5.31%	6.20%
10:00 AM	2,601	2,220	4,821	6.44%	5.62%	6.03%
11:00 AM	2,453	2,194	4,647	6.07%	5.55%	5.81%
12:00 PM	2,428	2,279	4,707	6.01%	5.77%	5.89%
01:00 PM	2,247	2,196	4,443	5.56%	5.56%	5.56%
02:00 PM	2,238	2,209	4,447	5.54%	5.59%	5.56%
03:00 PM	2,262	1,804	4,066	5.60%	4.56%	5.09%
04:00 PM	2,221	2,647	4,868	5.50%	6.70%	6.09%
05:00 PM	2,345	2,983	5,328	5.80%	7.55%	6.66%
06:00 PM	2,239	3,031	5,270	5.54%	7.67%	6.59%
07:00 PM	2,140	2,597	4,737	5.30%	6.57%	5.93%
08:00 PM	1,675	2,016	3,691	4.14%	5.10%	4.62%
09:00 PM	1,312	1,566	2,878	3.25%	3.96%	3.60%
10:00 PM	1,165	1,404	2,569	2.88%	3.55%	3.21%
11:00 PM	963	1,193	2,156	2.38%	3.02%	2.70%
12:00 AM	575	980	1,555	1.42%	2.48%	1.95%
TOTALS	40,415	39,528	79,943	100.00%	100.00%	100.00%

SPEED TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

Speed Range	Traffic Volume		Average Daily Statistics	
	NB/EB	SB/WB	Total	Percentages
1-35	11,687	10,236	21,923	27.42%
36-40	3	34	37	0.05%
41-45	38	41	79	0.10%
46-50	201	108	309	0.39%
51-55	1,667	810	2,477	3.10%
56-60	7,160	3,084	10,244	12.81%
61-65	10,911	6,189	17,100	21.39%
66-70	6,705	7,537	14,242	17.82%
71-75	1,725	6,246	7,971	9.97%
76-80	269	3,227	3,496	4.37%
81-85	38	1,462	1,500	1.88%
86-90	6	412	418	0.52%
91-95	1	91	92	0.12%
>96	4	51	55	0.07%
Totals	40,415	39,528	79,943	100.00%

TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

TYPE OF COUNT:

24 HOUR APPROACH VOLUME COUNT

TIME OF COUNT:

Start Date	14-Jan-11	Start Time	12:00 AM
End Date	15-Jan-11	End Time	12:00 AM

VOLUMES:

ADT	82,496	PEAK HOUR	5,110
		PEAK END TIME	6:00 PM
		PEAK NB/EB MOVEMENT	1,945
		PEAK SB/WB MOVEMENT	3,165

MEASURED TRAVEL CHARACTERISTICS:

"Peak to Daily Ratio"

K=	6.19%	D=	61.9%
----	-------	----	-------

HOURLY DISTRIBUTION OF TRAFFIC VOLUMES

PROJECT Project Traffic Study for Central Polk Parkway
LOCATION CODE 2
COUNT LOCATION I-4 between US 27 & CR 532
GMB PROJECT NO. 08-135.22

HOUR END AT	HOURLY VOLUME DIRECTION (NB/EB)	HOURLY VOLUME DIRECTION (SB/WB)	TOTAL VOLUMES BOTH DIRECTIONS	DISTRIBUTION PERCENT DIRECTION (NB/EB)	DISTRIBUTION PERCENT DIRECTION (SB/WB)	TOTAL PERCENT BOTH DIRECTIONS
01:00 AM	568	720	1,288	1.42%	1.69%	1.56%
02:00 AM	410	449	859	1.03%	1.05%	1.04%
03:00 AM	414	330	744	1.04%	0.78%	0.90%
04:00 AM	509	330	839	1.27%	0.78%	1.02%
05:00 AM	818	377	1,195	2.05%	0.89%	1.45%
06:00 AM	1,495	663	2,158	3.74%	1.56%	2.62%
07:00 AM	2,324	1,361	3,685	5.82%	3.20%	4.47%
08:00 AM	2,741	1,853	4,594	6.87%	4.35%	5.57%
09:00 AM	2,792	2,011	4,803	6.99%	4.72%	5.82%
10:00 AM	2,466	2,180	4,646	6.18%	5.12%	5.63%
11:00 AM	2,518	2,353	4,871	6.31%	5.53%	5.90%
12:00 PM	2,457	2,477	4,934	6.15%	5.82%	5.98%
01:00 PM	2,331	2,478	4,809	5.84%	5.82%	5.83%
02:00 PM	2,340	2,518	4,858	5.86%	5.91%	5.89%
03:00 PM	2,232	2,680	4,912	5.59%	6.29%	5.95%
04:00 PM	2,118	2,742	4,860	5.31%	6.44%	5.89%
05:00 PM	2,017	2,941	4,958	5.05%	6.91%	6.01%
06:00 PM	1,945	3,165	5,110	4.87%	7.43%	6.19%
07:00 PM	1,785	2,748	4,533	4.47%	6.45%	5.49%
08:00 PM	1,558	2,212	3,770	3.90%	5.20%	4.57%
09:00 PM	1,320	1,838	3,158	3.31%	4.32%	3.83%
10:00 PM	1,049	1,627	2,676	2.63%	3.82%	3.24%
11:00 PM	917	1,395	2,312	2.30%	3.28%	2.80%
12:00 AM	798	1,126	1,924	2.00%	2.64%	2.33%
TOTALS	39,922	42,574	82,496	100.00%	100.00%	100.00%

SPEED TRAFFIC COUNT DATA

PROJECT	Project Traffic Study for Central Polk Parkway
LOCATION CODE	2
COUNT LOCATION	I-4 between US 27 & CR 532
GMB PROJECT NO.	08-135.22

Speed Range	Traffic Volume		Average Daily Statistics	
	NB/EB	SB/WB	Total	Percentages
1-35	11,765	15,535	27,300	33.09%
36-40	3	3	6	0.01%
41-45	39	16	55	0.07%
46-50	293	123	416	0.50%
51-55	2,118	949	3,067	3.72%
56-60	6,542	3,613	10,155	12.31%
61-65	10,934	6,223	17,157	20.80%
66-70	6,051	6,675	12,726	15.43%
71-75	1,872	5,525	7,397	8.97%
76-80	276	2,663	2,939	3.56%
81-85	17	910	927	1.12%
86-90	6	252	258	0.31%
91-95	1	53	54	0.07%
>96	5	34	39	0.05%
Totals	39,922	42,574	82,496	100.00%