

## LEGEND


|                                       |                                        |
|---------------------------------------|----------------------------------------|
| (AH) = AHEAD                          | (M3) = FDOT R/W MAP SECTION 75280-2413 |
| AVE = AVENUE                          | (M4) = FDOT R/W MAP SECTION 75280-MISC |
| BK = BOOK                             | N = NORTH OR NORTHING                  |
| B = BASELINE                          | (STATE PLANE COORDINATE)               |
| BLVD = BOULEVARD                      | N/A = NOT APPLICABLE                   |
| C = CHORD                             | ND = NAIL & DISK                       |
| CB = CHORD BEARING                    | NTS = NOT TO SCALE                     |
| CLF = CHAIN LINK FENCE                | OR = OFFICIAL RECORD                   |
| CONC = CONCRETE                       | PG = PAGE                              |
| COR = CORNER                          | PSM = PROFESSIONAL SURVEYOR            |
| CL = CENTERLINE                       | AND MAPPER                             |
| (C) = CALCULATED DATA                 | PLS = PROFESSIONAL LAND SURVEYOR       |
| CCR = CERTIFIED CORNER RECORD         | PL = PROPERTY LINE                     |
| CMON = CONCRETE MONUMENT              | (P) = PLAT DATA                        |
| CO = COUNTY                           | PB = PLAT BOOK                         |
| CR = COUNTY ROAD                      | PC = POINT OF CURVE                    |
| (D) = DEED DATA                       | PCP = PERMANENT CONTROL POINT          |
| DB = DEED BOOK                        | PRM = PERMANENT REFERENCE MONUMENT     |
| DE = DRAINAGE EASEMENT                | PI = POINT OF INTERSECTION             |
| Δ = DELTA (CENTRAL ANGLE)             | PND = POND                             |
| DIST = DISTANCE                       | POC = POINT ON CURVE                   |
| ESMT = EASEMENT                       | POT = POINT ON TANGENT                 |
|                                       | PT = POINT OF TANGENCY                 |
|                                       | R = RADIUS                             |
| E = EAST OR EASTING                   | REF = REFERENCE                        |
| (STATE PLANE COORDINATE)              | RGE = RANGE                            |
| FB = FIELD BOOK                       | RLS = REGISTERED LAND SURVEYOR         |
| FND = FOUND                           | RT = RIGHT                             |
| (F) = FIELD                           | R/W = RIGHT OF WAY                     |
| FDOT = FLORIDA DEPARTMENT             | S = SOUTH                              |
| OF TRANSPORTATION                     | SEC = SECTION                          |
| FLA = FLORIDA                         | SR = STATE ROAD                        |
| FCP = FLOOD COMPENSATION POND         | SRD = STATE ROAD DEPARTMENT            |
| FPC = FLORIDA POWER CORPORATION       | STA = STATION NUMBER                   |
| FP = FINANCIAL PROJECT                | STMP = STAMPED                         |
| ID = IDENTIFICATION                   | SSE = STORM SEWER EASEMENT             |
| IP = IRON PIPE                        | T = TANGENT                            |
| IPC = IRON PIPE AND CAP               | TB = TANGENT BEARING                   |
| IR = IRON ROD OR REBAR                | TC = TANGENT TO CURVE                  |
| IRC = IRON ROD AND CAP                | TCE = TEMPORARY CONSTRUCTION EASEMENT  |
| L = LENGTH OF CURVE                   | TLR = TURKEY LAKE ROAD                 |
| L/A = LIMITED ACCESS                  | TWP = TOWNSHIP                         |
| LB = LICENSED BUSINESS                | (TYP) = TYPICAL                        |
| LS = LICENSED SURVEYOR                | W = WEST                               |
| LT = LEFT                             | W/ = WITH                              |
| MISC = MISCELLANEOUS                  | W/LY = WESTERLY                        |
| MON = MONUMENTATION/MONUMENT          | 60d = 60 PENNY NAIL                    |
| (M1) = FDOT R/W CONTROL SURVEY        |                                        |
| SECTION 75280 FP 242484-7             |                                        |
| (M2) = ORANGE COUNTY TURKEY LAKE ROAD |                                        |
| R/W MAP #Y8-849B                      |                                        |

## GENERAL NOTES

- THIS RIGHT OF WAY MAP IS SUPPORTED BY A RIGHT OF WAY CONTROL SURVEY, SECTION NO. 75280, F.P. 441113-1, DATED: MAY 16, 2019, PREPARED UNDER THE RESPONSIBLE CHARGE OF THOMAS J. BARRY, PROFESSIONAL SURVEYOR AND MAPPER NUMBER 4695, A RIGHT OF WAY CONTROL SURVEY, SECTION NO. 75280, F.P. 242484-7, DATED JULY 20, 2016, PREPARED UNDER THE RESPONSIBLE CHARGE OF MICHAEL L. DOUGHERTY, PROFESSIONAL SURVEYOR AND MAPPER NUMBER 4841 AND A SPECIFIC PURPOSE SURVEY, SECTION NO. 75280, F.P. 242484-7, DATED OCTOBER 10, 2018, PREPARED UNDER THE RESPONSIBLE CHARGE OF THOMAS J. BARRY, PROFESSIONAL SURVEYOR AND MAPPER NUMBER 4695. CERTIFIED COPIES OF THESE SURVEYS ARE FILED IN THE SURVEYING AND MAPPING UNIT OF THE FLORIDA DEPARTMENT OF TRANSPORTATION, DISTRICT FIVE OFFICE, DELAND, FLORIDA.
- THE BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE FLORIDA STATE PLANE COORDINATE SYSTEM, FLORIDA EAST ZONE (0901), 1983 NORTH AMERICAN DATUM, 1990 ADJUSTMENT, AS ESTABLISHED FROM RECOVERED CENTERLINE EVIDENCE ESTABLISHED ON THE RIGHT OF WAY CONTROL SURVEY, SECTION 75280, F.P. 242484-7, DATED JULY 20, 2016, BETWEEN STATION 620+833.22 AND STATION 730+00.00 AND DERIVING A BEARING OF N 38°36'21" E ON THE CENTERLINE OF SURVEY OF STATE ROAD 400 (INTERSTATE 4) BETWEEN PI STATION 637+90.95 AND PC STATION 703+81.25.
- THE CURVE DATA (TANGENT AND LENGTH) AND THE CENTERLINE OF SURVEY STATIONING HAS BEEN CALCULATED BASED ON THE CENTRAL ANGLE OF THE CURVES EXPRESSED TO ONE-TENTH (00.1") OF A SECOND, AS DERIVED FROM THE COORDINATE VALUES FOR THE POINT OF INTERSECTION (PI) OF SAID CURVES. THE CENTRAL ANGLES OF THE CURVES AND ALL BEARINGS SHOWN HEREON HAVE BEEN ROUNDED TO THE NEAREST SECOND (00") PER FLORIDA DEPARTMENT OF TRANSPORTATION MAPPING STANDARDS.
- UNLESS OTHERWISE NOTED ALL THE DATA DESIGNATED AS (F) IS THE RESULT OF DIRECT FIELD MEASUREMENTS, CALCULATED FROM A CLOSED FIELD TRAVERSE OR CALCULATED FROM REDUNDANT FIELD MEASUREMENTS.
- ONLY THE FIXED IMPROVEMENTS PERTINENT TO THE PARCELS TO BE ACQUIRED ARE SHOWN HEREON. FIXED INTERIOR IMPROVEMENTS AND UNDERGROUND FOUNDATION ENCROACHMENTS, IF ANY, HAVE NOT BEEN LOCATED. THIS INFORMATION IS SUPPORTED BY DATA CONTAINED IN DATABASE ARCHIVE NAMED 4848DS.ZIP, GEOPAK DATABASE NAMED JOBSUR.GPK AND FIELD BOOKS NUMBERED 5002076, 5002078, 5002080, 5002081, 5002082, 5002088, 5002089, 5002090, 5002091, 5002090, 5002091, 5002091, 5002093, 5002094, 5002095, 5002096, 5002097, 5002098, 5002099, 5003000, 5003001, 5003002, 5003003, 5003004, 5003005, 5003007 AND 5003008. THIS DATA IS FILED IN THE SURVEYING AND MAPPING UNIT OF THE FLORIDA DEPARTMENT OF TRANSPORTATION, DISTRICT FIVE OFFICE, DELAND, FLORIDA.
- THE EXISTING RIGHT OF WAY LINES SHOWN HEREON ARE BASED ON THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP FOR STATE ROAD 400 (INTERSTATE 4), SECTION 75280-2413, THE FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP FOR CENTRAL FLORIDA PARKWAY/TURKEY LAKE ROAD INTERCHANGE, (NOW KNOWN AS CENTRAL FLORIDA PARKWAY), SECTION 75280-MISC, THE ORANGE COUNTY, FLORIDA RIGHT OF WAY MAP FOR TURKEY LAKE ROAD, CONTRACT NO. Y8-849B, AND RECORD TITLE OR PLAT DEDICATION.
- PROPERTY BOUNDARIES HAVE BEEN DETERMINED FROM SURVEY, PLATS OF RECORD AND RECORD TITLE.
- ALL RECORDED PLATS, OFFICIAL RECORD BOOKS AND DEED BOOKS REFERENCED HEREIN ARE RECORDED IN THE PUBLIC RECORDS OF ORANGE COUNTY, FLORIDA.
- THIS RIGHT OF WAY MAP HAS BEEN PREPARED FOR THE PURPOSE OF PREPARING LEGAL LAND DESCRIPTIONS, PREPARING ACQUISITION DOCUMENTS, MONUMENTATION, PROPERTY MANAGEMENT, AND AS AN AID IN THE APPRAISAL OF THE RIGHT OF WAY REQUIRED FOR TRANSPORTATION FACILITIES.
- ATTENTION IS DIRECTED TO THE FACT THAT THESE MAPS MAY HAVE BEEN ALTERED IN SIZE BY REPRODUCTION. THIS MUST BE CONSIDERED WHEN OBTAINING SCALED DATA.
- NORTH-SOUTH AND EAST-WEST DIMENSION TIES TO RECOVERED MONUMENTATION NEAR VARIOUS LAND BOUNDARY CORNERS SHOWN HEREON ARE BY COORDINATE DIFFERENCE. SIDE BLOCK LINE INTERSECTIONS INTO THE BASELINE OF SURVEY ARE ON THE PROJECTION OF THE SIDE BLOCK LINE, UNLESS NOTED OTHERWISE.

STATE OF FLORIDA  
DEPARTMENT OF TRANSPORTATION

## RIGHT OF WAY MAP


SECTION No 75280  
FP No 441113-1  
ORANGE COUNTY  
DARYL CARTER PARKWAY  
INTERCHANGE  
IN SECTIONS 11, 14 & 15  
TOWNSHIP 24 SOUTH,  
RANGE 28 EAST

## PROJECT LOCATION

| SHEET INDEX |                          |
|-------------|--------------------------|
| 1           | COVER SHEET              |
| 2           | KEY SHEET                |
| 3-6         | DETAIL SHEETS            |
| 7           | REFERENCE SHEET          |
| 8           | TABLE OF OWNERSHIP SHEET |

## TOPO LEGEND

|                                |                             |
|--------------------------------|-----------------------------|
| BLDG = BUILDING                | SWLK = SIDEWALK             |
| BW/BWF = BARB WIRE FENCE       | WFRM = WOOD FRAME           |
| CBS = CONCRETE BLOCK STRUCTURE | W.I.F. = WROUGHT IRON FENCE |
| CCBN = CONCRETE CATCH BASIN    | WS = WOOD SHED              |
| CG = CURB & GUTTER             | ◇ = UTILITY POLE            |
| COMM = COMMERCIAL              | → = GUY ANCHOR              |
| CONCW = CONCRETE/BLOCK WALL    | ⊙ = SIGN                    |
| CLF = CHAIN LINK FENCE         | ⊙ = LIGHT POLE STANDARD     |
| CMP = CORRUGATED METAL PIPE    | ⊙ = FLOOD LIGHT             |
| CSL = CONCRETE SLAB            | ⊙ = SPRINKLER HEAD          |
| DWYA = DRIVEWAY ASPHALT        |                             |
| DWYC = DRIVEWAY CONCRETE       |                             |
| DWYD = DRIVEWAY DIRT           |                             |
| DWYG = DRIVEWAY GRAVEL         |                             |
| E/P = EDGE OF ASPHALT/PAVEMENT |                             |
| H.R. = HANDRAIL                |                             |
| HWF = HOGWIRE FENCE            |                             |
| MES = MITERED END SECTION      |                             |
| MONW = MONITORING WELL         |                             |
| MSS = MULTIPLE SUPPORT SIGN    |                             |
| PVC = POLYVINYL CHLORIDE       |                             |
| RCP = REINFORCED CONCRETE PIPE |                             |
| RES. = RESIDENTIAL             |                             |
| SEW = STRAIGHT END WALL        |                             |
| SPL = SPILLWAY                 |                             |
| SWF = STOCK WIRE FENCE         |                             |
| WF = WOOD FENCE                |                             |

VICINITY MAP  
(NOT TO SCALE)

THIS MAP IS NOT A SURVEY

SR 400 (I-4) AT DARYL CARTER PARKWAY INTERCHANGE

RIGHT OF WAY MAP

FLORIDA DEPARTMENT OF TRANSPORTATION  
SURVEYING AND MAPPINGAPPROVED BY:   
DATE: 05/20/19  
FOR DISTRICT SECRETARY

|          |    |      |          |    |      |
|----------|----|------|----------|----|------|
| REVISION | BY | DATE | REVISION | BY | DATE |
|          |    |      |          |    |      |

|         |          |           |
|---------|----------|-----------|
| PRELIM  | D. KING  | 9-26-2017 |
| FINAL   | T. BARRY | 3-26-2019 |
| CHECKED | J. SCOTT | 3-29-2019 |

FED. PROJ.


STATE ROAD NO. 400

SECTION 75280

ORANGE COUNTY

MAPS PREPARED BY:  
AECOM  
150 N ORANGE AVENUE, SUITE 200  
ORLANDO, FLORIDA 32801  
407-843-8552 LB #7860  
F.P. NO. 441113-1DATA SOURCE:  
SEE GENERAL NOTES ABOVE.  
SCALE: N/A  
SHEET 1 OF 8




















| LINE TABLE |                    |                    |
|------------|--------------------|--------------------|
| LINE       | BEARING            | DISTANCE           |
| L-1        | S 89°38'16" E      | 73.53(C)           |
| L-2        | N 43°35'27" E      | 113.18(C)          |
| L-3        | S 36°48'58" W      | 58.40(C)           |
| L-4        | S 58°41'31" E      | 67.26(C)           |
| L-5        | NO LONGER UTILIZED |                    |
| L-6        | NO LONGER UTILIZED |                    |
| L-7        | N 38°36'21" E      | 47.45(C)           |
| L-8        | S 36°48'58" W      | 58.40(C)           |
| L-9        | N 56°52'12" W      | 130.00(C)          |
| L-10       | S 58°54'56" E      | 130.00(C)          |
| L-11       | S 51°24'19" E      | 35.34(C)(D)        |
| L-12       | S 50°56'14" E      | 10.32(C)(D)        |
| L-13       | S 38°51'07" W      | 84.80(C), 84.75(D) |









REFERENCE TIES SR 400

FND 5/8" IRC STAMPED  
"FDOT SSMC LB 2108 REF"

LARGE HEDGE ON LINE  
NO LINE OF SITE

155.00'

STA 620+01.68  
150.10' LT  
FND 6"x6" CMON  
CAST "SRD R/W"

90°00'00"

CL SURVEY SR 400 (I-4)

N 38°39'53" E

N 38°39'53" E

90°00'00"

FND 5/8" IRC STAMPED  
"FDOT SSMC LB 2108"

155.00'

6' CLF-149.0' RT

70.00'










50.00'

FND ND STAMPED  
"FDOT SSMC LB 2108 REF"

FND ND STAMPED  
"FDOT SSMC LB 2108 REF"

NOT TO SCALE

CL SURVEY SR 400  
(INTERSTATE 4)  
POT STA 620+01.25



PC STA 150+14.96  
FND ND STAMPED  
"FDOT SSMC LB2108"

319.33'  
N60°25'07"W

PI STA 153+34.30  
FND 5/8" IRC STAMPED  
"FDOT SSMC LB2108"

400.60'  
N60°25'07"W




Q SURVEY TLR

Q SURVEY  
SR 400 (I-4)

Q SURVEY SR 400  
POC STA 708+00.10=  
Q SURVEY  
TURKEY LAKE ROAD  
BEGIN STA 146+14.36  
FND ND STAMPED  
"FDOT SSMC LB2108"

NOT TO SCALE

BEGIN SURVEY  
Q SURVEY  
TURKEY LAKE ROAD  
STA 146+14.36=  
Q SURVEY SR 400 (I-4)  
POC STA 708+00.10



|                                                  |                                                                                                                  |                                                                       |
|--------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| SR 400 (I-4) AT DARYL CARTER PARKWAY INTERCHANGE |                                                                                                                  |                                                                       |
| 5280                                             | MAPS PREPARED BY:<br>AECOM<br>150 NORTH ORANGE AVE, SUITE 200<br>ORLANDO, FLORIDA 32801<br>407-843-6532 LB #7880 | DATA SOURCE:<br>SEE GENERAL NOTES ON SHEET ONE<br>SCALE: NOT TO SCALE |
|                                                  | F.P. NO. 441113-1                                                                                                | SHEET 7 OF 8                                                          |

[illegible]